

DECLARATION OF PERFORMANCE

Nr. 318539

1. Unique identification code of the product-type:
SUPERFLEX KLEBER 104, C2 TE S1
2. Type, batch or serial number or any other element allowing identification of the construction product as required under Article 11(4) of the CPR:
BATCH NUMBER (PRODUCTION DATE) INDICATED ON THE PACKAGE
3. Intended use:
NORMAL SETTING CEMENTITIOUS ADHESIVE FOR TILES FOR INTERNAL AND EXTERNAL TILING
4. Manufacturer:
UAB „KREISEL VILNIUS“, Metalo st. 6, Vilnius, Lithuania, tel. +370 5 2164041
5. Authorized representative:
Not applicable
6. System or systems of assessment and verification of constancy of performance of the construction product as set out in CPR, Annex V:
SYSTEM 3
7. In case of the declaration of performance concerning a construction product covered by a harmonized standard:
The notified testing laboratory UAB “ALZIDA”, identification number 1555 performed the determination of the product- type on the basis of type testing under system 3 and issued: test report No 1555-CPR-152.
8. In case of the declaration of performance concerning a construction product covered by a harmonised standard.:
Not applicable
9. Declared performance :

Essential characteristics	Performance	Harmonised technical
Durability for: - tensile adhesion strength after heat ageing - tensile adhesion strength after water immersion - tensile adhesion strength after freeze-thaw cycles	$\geq 1,0 \text{ N/mm}^2$ $\geq 1,0 \text{ N/mm}^2$ $\geq 1,0 \text{ N/mm}^2$	specification
Bond strength as: - initial tensile adhesion strength	$\geq 1,0 \text{ N/mm}^2$	
Release of dangerous substances	See SDS	

10. **The performance of the product identified in points 1 and 2 is in conformity with the declared performance in point 9. This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 4.**

Signed for and on behalf of the manufacturer by:

Technologas
Šarūnas Mačionis
.....
(name and function) (Signature)

Metalo st. 6, Vilnius
2014 m. October 7 d.
(place and date of issue)